

## CIRCUIT D'ESSAIS D'APTITUDE

### 44 a- PCB DANS L'AGRO-ALIMENTAIRE

Planning prévisionnel : 5 essais par campagne

Septembre	✓ Octobre	Novembre	✓ Décembre	Janvier
✓ Février	Mars	✓ Avril	✓ Mai	Juin



Nombre de produits par distribution : ..... 1

Conditionnement : Flacon de polypropylène ou sac aluminium.

Nature des échantillons : Poudre de lait, plat cuisiné, poisson, graisses animales, viande de volaille, chorizo, céréales.

#### Principaux paramètres

↪ **Polychlorobiphényles** : PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB 153 et PCB 180.

Commentaire : 3 matrices sont susceptibles d'être communes avec l'option HAP.


**Note** : Les informations contenues dans cette fiche sont susceptibles d'être modifiées au cours de la campagne suite à des décisions de la commission, du groupe technique ou du Président.

Date de création du circuit ..... 2001

Population moyenne de participants ..... 13 dont 6 à l'international

**Bipea - Bureau Inter Professionnel d'Etudes Analytiques**  
6 à 14, avenue Louis Roche F-92230 GENNEVILLIERS

Tel. : +33 (1)-47-33-54-60 - Fax : +33 (1)-40-86-92-59 - Email : [contact@bipea.org](mailto:contact@bipea.org)



## PROFICIENCY TESTING SCHEME

### 44a – PCB IN AGRI-FOOD DOMAIN

**Planning : 5 tests per annual series**

September	✓ October	November	✓ December	January
✓ February	March	✓ April	✓ May	June



**Number of products per round :** ..... 1

**Packaging :** Polypropylene flask or aluminium bag.

**Nature of samples** (*chosen in that list*) : milk powder, fish, animal fats, cereals, chorizo, cooked meals, poultry.

#### Parameters :

↪ **Polychlorobiphenyles** : PCB 28, PCB 52, PCB 101, PCB 118, PCB 138, PCB153, PCB 180.

**Comments** : 3 matrices are likely to be common with the PAH option.

**Note:** The information mentioned in that form could be modified during annual series after decisions from Committee, technical group or President.

**Date of founding** ..... 2001

**Approximate participant population** ..... 13 including 6 abroad

**Bipea - Bureau Inter Professionnel d'Etudes Analytiques**  
6 à 14, avenue Louis Roche F-92230 GENNEVILLIERS

Tel. : +33 (1)-47-33-54-60 - Fax : +33 (1)-40-86-92-59 - Email : [contact@bipea.org](mailto:contact@bipea.org)