

Schedule – PTS 37 – Fresh Waters Micropollutants

The time for analysis is around 3 weeks and half.
Regarding the volume of the samples and the details of the parameters list, please contact us at
sales@bipea.org.

MONTH	MATRIX	SAMPLE CODE	Next shipment
September	Feed water	0937, 0637, 1137	2016/08/23
November	Surface water	0837, 0237	2016/10/25
January	Feed water	0937, 1137, 0637	2017/01/03
March	Feed water	0537, 0637	2017/02/28
April	Surface water	0137, 1037	2017/03/28
	Preparing solution	6237	
	Water for preparing solution	6337	
June	Feed water	0537	2017/05/30
	Preparing solution	0437	
	Water for preparing solution	1537	

Code	Parameters
0137	Organochlorine pesticides, Organophosphate pesticides, PCB
0237	BTX+VOC (list 1+2)
0437	Benzene, Vinyl Chloride, Dichlorobenzene -1,2, Dichlorobenzene-1,4, Dichloropropene-1,3 Trans, Tetrachloroethane-1,1,2,2, Trichloroethane-1,1,1
0537	Triazines, Urea, PAH
0637	BTX+VOC (list 1)
0837	Triazines, Urea, PAH
0937	Organochlorine pesticides, Organophosphate pesticides, PCB
1037	Herbicides
1137	Herbicides
1537	Benzene, Vinyl Chloride, Dichlorobenzene -1,2, Dichlorobenzene-1,4, Dichloropropene-1,3 Trans, Tetrachloroethane-1,1,2,2, Trichloroethane-1,1,1
6237	Pesticides, PAH
6337	Pesticides, PAH

The calendar might change for technical or scientific reasons. Please refer to your member area on www.bipea.org to check the deadline.